COMMON IVY.

NAMES.

A. قسّوس

G. Κιττος.

L. Hedera.

I. Hedera.

G. Ephen.

F. Lierre.

S. Yedra.

D. Klim-op.

PLACE.

In Hedges, on the Ground, or against Trees Walls or Pales.

DESCRIPTION.

This Plant which is Calld a Tree, runs upon the Ground, o Walls or Trees producing Leaves of various shapes, as it differs The Bark is rough, of a dirty Greyish colour; the Younge dling Green. The footstalk of the Leaf is a lighter Green. Leaves are of a Bluer Colour, but on the upper side of a da with whitish Veins. The Flowers, 1, have five very pale, G encompass the Embrio of the Berry, which is of the same colo mina, & Apices, and one very short Style. The Farina is of the Berries 2, when ripe are of a darkish brown. 3 Part of feet or Claws, by which it fastens to whatever it Climbs agains 4, a Berry with the flower fallen off. 5 a side View Maturity. 6 the Top of it. 7, One cut Transversly to she being ripe others abortive. 8 The Cells in which the Seeds

VIRTUES.

The Leaves are used for Dressing Issues. the Ripe Berr

T. Sheldrake delin.

M. Fl. S.

TIMOTHY SHELDRAKE *Botanicum Medicinale (An Herbal of Medicinial Plants)* LONDON, 1759 CHICAGO BOTANIC GARDEN